



NASHOBA ANALYTICAL

A DIVISION OF GRANITE STATE ANALYTICAL SERVICES, LLC

31A Willow Road Ayer, Massachusetts 01432
 Phone: 978-391-4428 | website: www.nashobaanalytical.com

PRICE LIST as of 1/1/2023

Bacteria

Total Coliform Bacteria (Present/Absent Result)	\$30.00
Total Coliform Bacteria (MPN-Count)	\$35.00
Heterotrophic Plate Count	\$35.00

Basic Package (2-120mL, 1-Sterile)

\$75.00

Total Coliform Bacteria	Chloride
E.coli Bacteria	Hardness
Iron	Nitrate
Manganese	Nitrite
Sodium	pH

GSA Comprehensive Package (2-120mL, 1-Sterile, 1-Radon)

\$155.00

Total Coliform Bacteria	Arsenic	Hardness
E.coli Bacteria	Calcium	Nitrate
Copper	Chloride	Nitrite
Iron	Fluoride	pH
Magnesium	Lead	Radon
Manganese	Sodium	

Comprehensive Package (3-250mL, 1-120mL, 1-Sterile)

\$165.00

Total Coliform Bacteria	Potassium	Fluoride
E.coli Bacteria	Sodium	Hardness
Arsenic (Total)	Alkalinity	Nitrate
Calcium	Ammonia	Nitrite
Copper	Color	Odor/Sediment
Iron	Conductivity	pH
Lead	Chlorine	Sulfate
Magnesium	Chloride	Turbidity
Manganese		

Title V (2-120mL, 1-Sterile) \$75.00

Total Coliform Bacteria
Ammonia
Nitrate
Nitrite

Stain Package (2-120mL)

\$65.00

Calcium	Magnesium
Copper	Manganese
Hardness	pH
Iron	Sodium

Individual Items

Arsenic (Total)	\$30.00	Radon	\$40.00
Arsenic Speciation	\$65.00 (This includes total, +3 +5.)	Volatile Organics	\$135.00
Fluoride	\$25.00	Perchlorate	\$175.00
Lead	\$30.00	Uranium	\$45.00
PFAS (18)	\$400.00	**New Offering: Radon in Air (Single) \$40.00 (double) \$70	

Other prices available upon request. Standard Turn Around Time is 3-5 business days for our regular packages. Sample containers may be obtained from the lab at no charge. Sampling Instructions are on the reverse side.



NASHOBA ANALYTICAL

A DIVISION OF GRANITE STATE ANALYTICAL SERVICES, LLC

31A Willow Road Ayer, Massachusetts 01432
Phone: 978-391-4428 | website: www.nashobaanalytical.com

Water Sampling Instructions

Samples for microbiological analysis must be collected in disposable pre-sterilized plastic bottles. Chemical analysis will be performed from a clean 500mL glass or plastic container.

****PLEASE FILL ALL THE CONTAINERS THAT YOU ARE GIVEN.****

When the sample is collected, sufficient air space (1/4 inch) should be left in the top of the sterile bottle to facilitate shaking prior to analysis. Keep sample bottles closed until they are to be filled and be careful not to contaminate inside surfaces of containers. Fill containers without rinsing and cap immediately.

1. Remove aeration screen or other attachments from faucet.
2. If tap cleanliness is in doubt it may be cleaned with either an alcohol prep pad or a weak solution of Clorox bleach.
3. Run hot water first (if available) for 2-3 minutes then turn off. Run the cold water for 2-3 minutes.
4. Reduce water flow to permit filling bottle without splashing.
5. Fill sample container(s) with cold water and recap immediately.
6. Deliver samples to the laboratory as soon as possible.

Samples must be received at the laboratory within 24 hours of collection.

Do not take bacteria samples from a hose, they will almost certainly fail. Use a faucet that has been cleaned properly.

Special Instructions for Radon in Water or Volatile Organic Compounds:

If sampling for radon or volatile organic compounds, special vials are required. They must be filled so that there is a solid column of water (no air bubbles or head space) present after capping the vials. Invert the vial after filling and observe for any rising bubbles/air. If there are any bubbles/air, add more water. (Note: Radon in Air has separate instructions included in the kit – please follow those instructions.)

Label bottles with your name, address, date and time sampled.

Please fill in all information and include this sheet with samples.

MAILING INFORMATION (Please Print)

SAMPLE SITE INFORMATION (Please Print)

Name: _____

Street: _____

Street: _____

Town: _____

Town: _____

State/Zip Code: _____

State/Zip Code: _____

Sample drawn by: _____

Contact Phone #: _____

Sample Site: _____

(i.e. kitchen sink, well head)

Email: _____

Date and Time Sampled: _____

Source: Drinking Water _____ Other _____

Payment is required when sample is received at lab.
We accept Cash, Check or Credit Card.
Results will not be released until payment is received.

Do you have any water treatment devices? _____

Are you having any problems with your water? _____

****Test(s) To Be Performed**:** Must fill this line out for paperwork to be complete: _____

ALL RESULTS WILL BE EMAILED UNLESS OTHERWISE REQUESTED. Please make sure you include your correct email address above